



Silver[®]

TIME WELL SPENT — SINCE 1991

2019



Silver[®]

**SILVER BOATS
ARE A UNIQUE
COMBINATION
OF DURABILITY,
PRACTICALITY
AND DESIGN.**

SILVER-BOATS

In the early 1990s five ambitious men decided to fulfill their lifelong dream and began designing and manufacturing motorboats, which in their opinion best suited the challenging conditions in Northern Europe. They established their own company and already the very first boat they made won an award for best trolling boat. Since then the model range has developed at a fast pace, and the growth sees no end even to this day.

Nowadays Silver boats are quite a familiar sight on Finnish waters, and increasingly also on international waters. That is however not a big surprise, since the Silver boats are a safe choice and in a class of their own: a unique combination of durability, practicality and design.

Our model range consists of three different series; the X-range stands for pure aluminum boats, the Y-range for so called hybrid AluFibre™ models whose hulls are of aluminum and interiors of fiberglass and the Z-range includes boat models in pure fiberglass.

**PROUDLY
MADE  IN
FINLAND**

All Silver boats are designed and manufactured in Finland by passionate boat builders. We are extremely proud of our Finnish heritage and always aim to develop boats that suit a wide variety of people, both for the rough conditions in northern Europe and for leisurely rides on the central European lakes.

X-range

Durable pure aluminium boats for active boaters and fishing.



Y-range

Versatile AluFibre™ models with an aluminium hull and fiberglass interior.



Z-range

New leisure boats fully made of fiberglass. Hulls with Petestep® technology.





SHARK BR^X

STANDARD EQUIPMENT

- 12 V electrical outlet
- Aft ladder
- Aluminum deck
- Automatic bilge pump
- Bow eye security loop, grade 3
- Boxes for anchor and mooring lines in bow and stern
- Cup holder
- Cushion set, Aft
- Door between consoles
- Driver seat with folding front
- Fire extinguisher
- Foldable seats Aft (2 pcs)
- Fuel filter
- Hydraulic steering
- Integrated fuel tank 130L
- Navigation lights
- Offshore seats
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Self-bailing open deck
- Sensor frame + slide rail for sensor frame
- Side rails HST
- Swimming platform
- Tow bar for water skiing
- Trailer lugs
- Trolling control

ACCESSORIES

- Armrest
- Bow engine mounting bracket
- Bow pulpit, shark fin
- Cushion for raising platform in bow
- Downrigger holder
- Dual battery system (doesn't include the battery)
- Fishing rod holder
- Footrest alum. plate
- Harbor cover
- Height-adjustable pedestal for comfort seat
- Livewell incl. washdown hose
- Raising platform for bow walkway
- Raymarine RV-100 3D RealVision transform transducer
- Seat cushions, bow
- Stern canopy
- Straight back wall for stern canopy
- Targa fishing arch
- Trim tabs
- Windscreen wiper



TECHNICAL DETAILS

Length	615 cm
Width	217 cm
Weight	710 kg
Draught	0,30 m
Fuel tank	130 l
Engine	80–115 hp
Number of passengers	7
CE-approval	C
Estimated top speed (2 pers)	36 kn
Deadrise angle	17,5°
Windshield	Glass




EAGLE BR^X

STANDARD EQUIPMENT

- 12 V electrical outlet
- Aft ladder
- Aluminum deck
- Automatic bilge pump
- Bow eye security loop, grade 3
- Boxes for anchor and mooring lines in bow and stern
- Control -uistelutoiminto
- Cup holder
- Cushion set, Aft
- Door between consoles
- Fire extinguisher
- Foldable seats Aft (2 pcs)
- Footrest alum. plate
- Fuel filter
- Hydraulic steering
- Integrated fuel tank 140L
- Navigation lights
- Offshore seats
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Self-bailing open deck
- Sensor frame + slide rail for sensor frame
- Side rails HST
- Swimming platform
- Tow bar for water skiing
- Trailer lugs
- Trim tabs
- Trolling control
- Windscreen wiper

ACCESSORIES

- Armrest
- Audio player with bluetooth
- Bow engine mounting bracket
- Bow pulpit, shark fin
- Cushion for raising platform in bow
- Downrigger holder
- Dual battery system (doesn't include the battery)
- Fishing rod holder
- Flag pole with fasteners
- Folding table
- Footrest alum. plate
- Harbor cover
- Height-adjustable pedestal for comfort seat
- Livewell incl. washdown hose
- Raising platform for bow walkway
- Raymarine RV-100 3D RealVision transform transducer
- Seat cushions, bow
- Second row of sport seats
- Stern canopy
- Straight back wall for stern canopy
- Targa fishing arch
- Transform sensor frame
- Windscreen wiper



TECHNICAL DETAILS

Length	640 cm
Width	225 cm
Weight.....	860 kg
Draught.....	0,37 m
Fuel tank	140 l
Engine	115–150 hp
Number of passengers.....	8
CE-approval.....	C
Estimated top speed (2 pers).....	40 km
Deadrise angle	20°
Windshield	Glass




FOX AVANT

STANDARD EQUIPMENT

- 12 V electrical outlet
- Aluminum deck
- Automatic bilge pump
- Bow eye security loop, grade 3
- Boxes for anchor and mooring lines in bow and stern
- Canopy storage
- Fire extinguisher
- Navigation lights
- NFB Steering
- Open rope box in the bow
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Seat cushions for stern bench
- Self-bailing open deck
- Sensor frame + slide rail for sensor frame
- Space for two separate fuel tanks (25l)
- Spacious storage space in the seat in front of the steering console
- Storage compartments for small items
- Swimming/boarding ladder
- Trailer lugs in bow and stern
- Trolling Control (for Honda outboards BF40-BF150)

ACCESSORIES

- Aluminum flooring, anod. & colored
- Bow engine mounting bracket
- Console cover
- Cup holder
- Downrigger holder
- Downrigger holder (rail mounting)
- Harbor cover
- Raymarine RV-100 3D RealVision transform transducer
- Seat cushions, bow
- Set of Abloy locks
- Shark fin bow railings
- Stern canopy
- Waterski pole



TECHNICAL DETAILS

Length	495 cm
Width	195 cm
Weight	approx. 510 kg
Draught	0,31 m
Fuel tank	Separate (2 x 25 l)
Engine	40–50 hp
Number of passengers	5
CE-approval	C
Estimated top speed (2 pers)	28,5 kn
Deadrise angle	17,5°
Windshield	Acryl
Unsinkable	✓




FOX BR

STANDARD EQUIPMENT

- 12 V electrical outlet
- Aluminum deck
- Automatic bilge pump
- Bow eye security loop, grade 3
- Bow railings
- Canopy storage
- Door between consoles
- Fire extinguisher
- Navigation lights
- NFB Steering
- Open rope box in the bow
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Seat cushions for stern bench
- Self-bailing open deck
- Space for two separate fuel tanks (25l)
- Spacious storage space in the seat in front of the steering console
- Storage compartments for small items
- Swimming/boarding ladder
- Trailer lugs in bow and stern
- Transom sensor frame + slide rail for sensor frame
- Trolling Control (for Honda outboards BF40-BF150)

ACCESSORIES

- Aluminum flooring, anod. & colored
- Bow engine mounting bracket
- Cup holder
- Downrigger holder
- Downrigger holder (rail mounting)
- Harbor cover
- Height-adjustable pedestal for comfort seat
- Raymarine RV-100 3D RealVision transform transducer
- Seat cushions, bow
- Set of Abloy locks
- Stern canopy
- Sunbed with cushion
- Update to Raymarine Axiom 12 RV chartplotter
- Waterski pole



TECHNICAL DETAILS

Length	495 cm
Width	195 cm
Rungon kok.....	540 kg
Draught.....	0,31 m
Fuel tank	Separate (2 x 25 l)
Engine	40-60 hp
Number of passengers.....	5
CE-approval.....	C
Estimated top speed (2 pers)	31 kn
Deadrise angle	17,5°
Windshield	Acryl
Unsinkable	✓




WOLF AVANT

STANDARD EQUIPMENT

- 12 V electrical outlet
- Automatic bilge pump
- Bow eye security loop, grade 3
- Bow railings
- Boxes for anchor and mooring lines in bow and stern
- Canopy storage
- Cup holder
- Downrigger holder (rail mounting)
- Fire extinguisher
- Navigation lights
- NFB Steering
- Place for musicplayer
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Seat cushions for stern bench
- Self-bailing open deck
- Space for two separate fuel tanks (25l)
- Storage compartments for small items
- Swimming/boarding ladder
- Trailer lugs in bow and stern
- Transom sensor frame + slide rail for sensor frame
- Trolling Control (for Honda outboards BF40-BF150)
- White gelcoat deck

ACCESSORIES

- Additional stern cushions, port side
- Aluminum flooring
- Bow engine mounting bracket
- Console cover
- Cushion for frontmost bow seat
- Downrigger holder
- Fishing rod holder
- Foldable flapseat
- Harbor cover
- Hydraulic steering
- Insulated Igloo-coolbox 54l
- Load securing loop
- Raymarine RV-100 3D RealVision transform transducer
- Stern canopy
- Targa fishing arch
- Trim tabs
- Waterski pole



TECHNICAL DETAILS

Length	510 cm
Width	198 cm
Weight	480 kg
Draught	0,32 m
Fuel tank	Separate (2 x 25 l)
Engine	50–80 hv*
Number of passengers	6
CE-approval	C
Estimated top speed (2 pers)	33 kn
Deadrise angle	18,2°
Windshield	Acryl
Unsinkable	✓

*Max. engine size 80 hp only regarding boat model year 2018->.




WOLF BR

STANDARD EQUIPMENT

- 12 V electrical outlet
- Automatic bilge pump
- Bow eye security loop, grade 3
- Bow railings
- Boxes for anchor and mooring lines in bow and stern
- Canopy storage
- Comfort seat
- Cup holder
- Door between consoles
- Fire extinguisher
- Navigation lights
- NFB Steering
- Place for musicplayer
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Seat cushions for stern bench
- Self-bailing open deck
- Space for two separate fuel tanks (25l)
- Storage compartments for small items
- Swimming/boarding ladder
- Trailer lugs in bow and stern
- Transom sensor frame + slide rail for sensor frame
- Trolling Control (for Honda outboards BF40-BF150)
- White Gelcoat deck

ACCESSORIES

- Aluminum flooring
- Aluminum flooring, anod. & colored
- Bow engine mounting bracket
- Cushion for frontmost bow seat
- Downrigger holder
- Downrigger holder (rail mounting)
- Fishing rod holder
- Foot rest, HST
- Harbor cover
- Hydraulic steering
- Insulated Igloo-coolbox 54l
- Load securing loop
- Raymarine RV-100 3D RealVision transform transducer
- Seat cushions, bow
- Stern canopy
- Swimming ladder
- Targa fishing arch
- Trim tabs
- Waterski pole




TECHNICAL DETAILS

Length	510 cm
Width	198 cm
Weight	550 kg
Draught	0,32 m
Fuel tank	Separat (2 x 25 l)
Engine	50–80 hv*
Number of passengers	6
CE-approval	C
Estimated top speed (2 pers)	33 kn
Deadrise angle	18,2°
Windshield	Acryl
Unsinkable	✓

*Max. engine size 80 hp only regarding boat model year 2018->.



NEW!



HAWK BR

STANDARD EQUIPMENT

- 12 V electrical outlet
- Aluminum interior deck (grey alum.)
- Automatic bilge pump
- Bow eye security loop, grade 3
- Construction according to CE standards and self-bailing open deck
- Cup holder
- Door between consoles
- Fire extinguisher
- Fuel filter
- Fuel tank 115 l
- Fully padded comfort seats, driver seat with flip-up front
- Hydraulic steering
- Navigation lights
- Open rope box in the bow
- Opening rear seat with large storage space
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Seat cushions for stern bench
- Separate rope boxes in the rear swimming platforms
- Side railings
- Slide rail for sensor frame
- Swimming/boarding ladder
- Trailer lugs in bow and stern
- Trolling Control
- Windshield tempered glass

ACCESSORIES

- Aluminum floor plates Anod.
- Audio player with Bluetooth
- Bow engine mounting bracket
- Cup holder RST
- Downrigger holder
- Downrigger holder (rail mounting)
- Fishing rod holder
- Harbor cover
- Height-adjustable pedestal for comfort seat
- Load securing loop
- Raymarine RV-100 3D RealVision transform transducer
- Seat cushions, bow
- Set of Abloy locks
- Stern canopy
- Sunbed with cushion
- Trim tabs
- Update to Raymarine Axiom 12 RV chartplotter
- Waterski pole
- Windscreen wiper for driver

TECHNICAL DETAILS

- Length570 cm
- Width216 cm
- Weight.....665 kg
- Draught..... 0,30 m
- Fuel tank115 l
- Engine60–100 hp
- Number of passengers.....7
- CE-approval..... C
- Estimated top speed
(2 pers)approx. 37 kn
- Deadrise angle17,8°
- WindshieldGlas/Acryl
- Unsinkable✓




SHARK BR

STANDARD EQUIPMENT

- 12 V electrical outlet
- Automatic bilge pump
- Bow and side railings
- Bow eye security loop, grade 3
- Boxes for anchor and mooring lines in bow and stern
- Canopy storage
- Comfort seat
- Cup holder
- Door between consoles
- Fire extinguisher
- Hydraulic steering
- Navigation lights
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Seat cushions for stern bench
- Self-bailing open deck
- Space for a coolbox
- Space for audio player
- Storage compartments for small items
- Swimming ladder
- Swimming platform
- Trailer lugs in bow and stern
- Transom sensor frame + slide rail for sensor frame
- Trolling control
- White gelcoat deck

ACCESSORIES

- Aluminum floor plates Anod.
- Aluminum flooring, anod. & colored
- Bow engine mounting bracket
- Downrigger holder
- Downrigger holder (rail mounting)
- Fishing rod holder
- Foot rest, HST
- Harbor cover
- Height-adjustable pedestal for comfort seat
- Insulated Igloo-coolbox 54l
- Load securing loop
- Raymarine RV-100 3D RealVision transform transducer
- Seat cushions, bow
- Stern canopy
- Targa fishing arch
- Trim tabs (Ultra Joystick)
- Waterski pole
- Windscreen wiper for driver



TECHNICAL DETAILS

Length	610 cm
Width	217 cm
Weight	725 kg
Draught	0,30 m
Fuel tank	130 l
Engine	80-115 hp
Number of passengers	7
CE-approval	C
Estimated top speed (2 pers)	approx. 35 kn
Deadrise angle	17,5°
Windshield	Glas
Unsinkable	✓




EAGLE BR

STANDARD EQUIPMENT

- 12 V electrical outlet
- Automatic bilge pump
- Bow and side railings
- Bow eye security loop, grade 3
- Boxes for anchor and mooring lines in bow and stern
- Canopy storage
- Comfort seat
- Cup holder
- Door between consoles
- Fire extinguisher
- Footrest for the driver and co-pilot
- Hydraulic steering
- Integrated sunbed in stern
- Navigation lights
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Seat cushions for stern bench
- Self-bailing open deck
- Space for audio player
- Stern canopy
- Storage compartments for small items
- Swimming ladder
- Swimming platform
- Trailer lugs in bow and stern
- Transom sensor frame + slide rail for sensor frame
- Trolling Control
- White gelcoat deck
- Windscreen wiper for driver

ACCESSORIES

- Aluminum floor plates Anod.
- Aluminum flooring, anod. & colored
- Armrest
- Audio player with Bluetooth
- Downrigger holder
- Drawer fridge
- Fishing rod holder
- Flag pole with fasteners
- Floor rugs, beige
- Folding table
- Harbor cover
- Height-adjustable pedestal for comfort seat
- Raymarine RV-100 3D RealVision transform transducer
- Seat cushions, bow
- Table with separate pedestal
- Tow bar for water skiing
- Wide bench seats, factory installation
- Wide bench seats, retrofitted
- Windscreen wiper



TECHNICAL DETAILS

Length	640 cm
Width	225 cm
Weight	860 kg
Draught	0,37 m
Fuel tank	140 l
Engine	115-150 hp
Number of passengers	8
CE-approval	C
Estimated top speed (2 pers)	approx. 39 kn
Deadrise angle	20°
Windshield	Glas
Unsinkable	✓



TIGER BR^Z

STANDARD EQUIPMENT

- 12 V electrical outlet
- Abloy locks for the stern bench
- Acid-proof railings and cleats
- Automatic bilge pump
- Bow bumper
- Bow railings
- Boxes for anchor and mooring lines in bow and stern
- Composite teak deck (open area deck, swimming platforms)
- Cup holders (2 pcs)
- Decked storage compartments for fenders (2 pcs)
- Fenders with fasteners (4 pcs)
- Fire extinguisher
- Gas springs for the covers of the stern bench
- Hydraulic steering (Sea Star)
- Navigation lights
- Possibility to add a pantry in the co-pilot's console
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Stern canopy
- Sunbed
- Swimming ladder
- Swimming platform
- Table for the aft deck + sunbed
- Trailer lugs in bow
- Trim tabs (Bennett)
- U-bolt in the bow (safety class 3 approved)
- Windscreen wipers (2 pcs)

ACCESSORIES

- Abloy locks for rear anchor boxes
- Antifouling
- Dual battery system
- Fresh water system
- Fusion *MS-RA70N music player + 2 loudspeakers
- Gas cooker
- Harbor cover
- Seat cushions, bow
- Tow bar for water skiing
- Transportation cover
- Update to Raymarine Axiom 12 RV chartplotter
- Update to Raymarine RV-100 3D RealVision transform transducer
- Webasto air Top 2000 ST heater
- Zaurac bow spotlight

NEW!



TECHNICAL DETAILS

Length	606 cm
Width	236 cm
Weight.....	approx. 1150 kg
Draught.....	0,4 m
Fuel tank	107 l
Engine	115–150 hp
Number of passengers.....	8
CE-approval.....	C
Estimated top speed (2 pers).....	40 km
Deadrise angle	19°
Windshield	Glas
Hull	Petestep®

petestep®




TIGER DC^Z

STANDARD EQUIPMENT

- 12 V electrical outlet in cabin, USB in steering console
- Abloy locks for the stern bench
- Acid-proof railings and cleats
- Automatic bilge pump
- Bow bumper
- Bow railings
- Boxes for anchor and mooring lines in bow and stern
- Cabin frame windows
- Carpet and cushions for the cabin
- Composite teak deck (open area deck, swimming platforms)
- Cup holders (2 pcs)
- Decked storage compartments for fenders (2 pcs)
- Fenders with fasteners (4 pcs)
- Fire extinguisher
- Gas springs for the covers of the stern bench
- Hydraulic steering (Sea Star)
- Integrated boarding ladder in the bow
- Lockable cabin door
- Navigation lights
- Possibility to add a pantry in the co-pilot's console
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Stern canopy
- Sunbed
- Swimming ladder
- Swimming platform
- Table for the aft deck + sunbed
- Trailer lugs in bow
- Trim tabs (Bennett)
- U-bolt in the bow (safety class 3 approved)
- Windscreen wipers (2 pcs)

ACCESSORIES

- Abloy locks for rear anchor boxes
- Antifouling
- Dual battery system
- Fresh water system
- Fusion *MS-RA70N music player + 2 loudspeakers
- Gas cooker
- Harbor cover
- Tow bar for water skiing
- Transportation cover
- Update to Raymarine Axiom 12 RV chartplotter
- Update to Raymarine RV-100 3D RealVision transducer
- Webasto air Top 2000 ST heater
- Zaurac bow spotlight



TECHNICAL DETAILS

Length	606 cm
Width	236 cm
Weight	approx. 1150 kg
Draught	0,4 m
Fuel tank	107 l
Engine	115–150 hp
Number of passengers.....	8
CE-approval.....	C
Estimated top speed (2 pers)	40 kn
Deadrise angle	19°
Windshield	Glas
Hull	Petestep®

petestep®



RAPTOR DC^Z

STANDARD EQUIPMENT

- 12 V power outlet x 3 and USB outlet
- 2-seated driver's swingback seat
- 3-way stern canopy and supports for the canopy arch
- Abloy locks for the stern bench
- Acid-proof railings and cleats
- Audio player (Fusion MS-RA70N) + 4 loudspeakers
- Boarding ladder in the bow
- Bow bumper
- Bow railings
- Bow thruster Side-Power SE30 + remote steering device
- Boxes for anchor and mooring lines in bow and stern
- Cabin frame windows (2/7 are possible to open)
- Carpet and cushions for the cabin
- Composite teak deck (bow deck, open area deck, swimming platforms)
- Cup holders (2 pcs)
- Decked storage compartments for fenders (2 pcs)
- Defogging system for the driver
- Dual battery system
- Electric bilge pump
- Electric sea water toilet
- Fenders with fasteners (4 pcs)
- Fire extinguisher 2kg
- Fridge with freezer compartment (48 l)
- Fuel filter
- Fuel tank 260 liters
- Gas springs for the covers of the stern bench and swimming platform
- Gas stove with two burners
- Hydraulic steering (Sea Star 1,4/ easy steering and tilt-wheel)
- Large storage space underneath the cabin's double bed (cover with gas springs)
- LED cabin lights
- LED deck lights
- LED running light (Zaurac 4-30 Hybrid)
- LED spotlight in the bow
- Light pole
- Lockable cabin door
- Nav pack (Raymarine Axiom 9 RV + CHIRP CPT-100DVS sonar transducer)
- Navigation lights
- Pressurized water system (shower, pantry and toilet faucets)
- Space for a separate tablet on the instrument panel
- Storage rack next to the driver
- Storage shelf in the cabin
- Storage space underneath the driver's seat
- Table for the aft deck + sunbed
- Tow bar for water skiing
- Trailer lugs in bow
- U-bolt in the bow (safety class 3 approved)
- Windscreen wipers (2 pcs)
- Zipwake trim-control system

ACCESSORIES

- Anchor winch for the stern (Engbo Midi), incl. 30 m anchor line + 7,5 kg anchor
- Antifouling
- Blackout curtains for the inside of the stern canopy
- Harbor cover
- Power steering (SeaStar)
- Shore power system
- Solar panels for the bow deck
- Sonar transducer update to CHIRP RV-100 RealVision 3D transom transducer
- Transportation cover
- Update to Axiom 12 RV chartplotter/display
- Webasto Air Top 2000 ST diesel heater, 9 liter fuel tank



TECHNICAL DETAILS

Length	805 cm
Width	276 cm
Weight	approx. 2 150 kg
Draught	0,5 m
Fuel tank	260 l
Engine	250–350 hp
Number of passengers	10
CE-approval	C
Estimated top speed (2 pers)	44 kn
Deadrise angle	19,5°
Windshield	Glas
Hull	Petestep®

petestep®


PROUDLY
MADE  IN
FINLAND



Silver[®]
TIME WELL SPENT — SINCE 1991

SILVERBOATS.COM

 SilverVeneet  silverboats_official



Due to continues product development Silver withholds the right to changes without prior notice. Boats in pictures may have extra equipment and differ from standard version.